Dräger

D-3641-2011

Satisfies your diverse clinical needs

VISTA 120

Dräger. Technology for Life®

Essential monitoring capabilities at an exceptional value

Hospitals around the world have a common challenge: provide the best patient care possible in the face of tough financial constraints. Patient populations are growing, which puts increased demands on already overburdened caregivers. By working closely with hospitals for more than 100 years, Dräger understands the complexity of acute care delivery and offers a patient monitor specifically to meet the clinical needs in these environments: the Vista 120.

Providing essential monitoring at a great value, the Vista 120 supports adult, pediatric and neonatal patients in a variety of care environments – including Intensive Care Units, Operating Rooms, Emergency Departments and Neonatal Intensive Care Units.

While many vendors offer patient monitors, Dräger goes a step further. We offer a complete departmental solution. Use the Vista 120 on its own or with one of our complementary therapy devices – including ventilators, anesthesia machines or baby warmers. In addition, the Vista 120 offers advanced parameters for the ICU, OR, ED and NICU, depending on the model you choose.

Why choose the Vista 120?

- Core set of essential parameters, plus optional advanced measurements
- Choice of three models to meet diverse clinical needs
- Large 380 mm (15”) color touch screen for a clear view of patient data
- Easy operation with quick access menu, hard keys and a rotary knob
- Built-in recorder saves time by providing documentation when you need it
- Dräger heritage of quality

Part of a complete departmental solution

ICU: Vista 120 monitor and Savina® family ventilator

NICU: Vista 120 monitor, Isolette® C2000 incubator and Babylog® 8000 ventilator

OR: Vista 120 monitor, Fabius® *plus* anesthesia machine and Vamos anesthetic gas monitor

ED: Vista 120 monitor and Oxylog® 2000 *plus* ventilator

380 mm (15”) TFT touch screen
High resolution display (1024x768) is bright and easy to read, even from a distance

8 waveforms
Displayed in full color

Configurable layout
Lets you see the information you want, the way you want to see it

Advanced parameters
Up to 2 invasive blood pressures and $etCO_2$ (depending on model)

Enhanced trending
Stores up to 120 hours of trend data for all parameters in tabular and graphic formats

Built-in power supply
for direct AC connection
Built-in battery
120 minutes/2 hours (optional)



Supports your workflow...

The Vista 120 is easy to learn and easy to use. The bright 380 mm (15”) screen provides a clear view of patient data, even from a distance. You can configure the display to see the information you want to see, the way you want to see it. Fast access keys and simplified menus put the data you need right at your fingertips.

As a result, you can focus less on the monitor and more on direct patient care. To further support patient safety, a nurse call interface allows connection to most hospital call systems. Flexible mounting options support workflow ergonomics: mount the Vista 120 on a ventilator, to an anesthesia machine, or on the wall.

Alarms
Alarm indicator and alarm pause

Vital interfaces
Nurse call port, analog output, defibrillator synchronization, VGA output, USB interfaces and more

Core set of essential parameters
3/5 lead ECG, SpO_2, non-invasive blood pressure, respiration and dual temperature (standard)

Integrated recorder
Prints out up to 3 channels of information

Rotary knob
Easy navigation

Shortcut keys
Fast access to main functions

... efficiently and cost-effectively

Using different monitors in different departments is not the most efficient solution. That's why the Vista 120 is designed for hospital-wide use. One monitor that supports all care environments means a shorter learning curve for new or changing staff. It also offers your hospital the ease and economies of a single-source vendor solution.

VISTA 120 MODELS

A choice of 3 monitors lets you select the parameters you need



VISTA 120	MS26678	MS26680	MS26679
3/5-lead ECG	X	X	X
SpO_2	X	X	X
Non-Invasive Blood Pressure	X	X	X
Respiration	X	X	X
Dual Temperature	X	X	X
Built-in Recorder	X	X	X
2 Invasive Blood Pressures		X	X
$etCO_2$			X

OPTIONAL ACCESSORIES

ECG	
ECG trunk cable, 5-lead, defib, IEC, 2.6 m, reusable	2606185
ECG limb wires, 5-lead, snap, IEC, 0.9 m, reusable	2606186
ECG limb wires, 5-lead, clip, IEC, 0.9 m, reusable	2606187
ECG cable, 5-lead snap, defib, AHA, 3.5 m, reusable	2606192
ECG cable, 5-lead clip, AHA, 3.5 m, reusable	2606193
ECG cable, 3-lead snap, AHA , 3.5 m, reusable	2606195
ECG trunk cable, 3-lead, defib, IEC, 2.6 m, reusable	2606196
ECG limb wires, 3-lead clip, IEC, 0.9 m, reusable	2606197
ECG electrodes, adult, disposable, 100 pieces	2606200
ECG electrodes, child, neo disposable, 50 pieces	2606246

SpO_2	
SPO_2 finger sensor, adult, 2.5 m, reusable	2606201
SPO_2 finger sensor, adult, 1 m, reusable	2606202
SpO_2 silicone soft-tip sensor, adult, 1 m, reusable	2606205
SpO_2 silicone soft-tip sensor, pediatric, 1 m, reusable	2606206
SpO_2 extension cable, 2 m	2606207
SpO_2 sensor, adult, 0.5 m, disposable, 25 pieces	2606208
SpO_2 sensor, pediatric, 0.5 m, disposable, 25 pieces	2606209
SpO_2 sensor, infant, 0.5 m, disposable, 25 pieces	2606210
SpO_2 sensor, neonate, 0.5 m, disposable, 25 pieces	2606211

NIBP	
NIBP cuff, adult, 25 to 35 cm, reusable	2606212
NIBP cuff, larger adult, 33 to 47 cm, reusable	2606213
NIBP cuff, child, 18 to 26 cm, reusable	2606214
NIBP cuff, infant, 10 to 19 cm, reusable	2606215
NIBP cuff neonatal #1, 3 to 6 cm, disposable, 20 pieces	2606271
NIBP cuff neonatal #2, 4 to 8 cm, disposable, 20 pieces	2606272
NIBP cuff neonatal #3, 6 to 11 cm, disposable, 20 pieces	2606273
NIBP cuff neonatal #4, 7 to 13 cm, disposable, 20 pieces	2606274
NIBP cuff neonatal #5, 8 to 15 cm, disposable, 20 pieces	2606275
NIBP tube, 3 m	2606218
NIBP tube for neonatal cuff, 3 m	2606219

Temp	
Temperature probe skin, adult, 3 m, reusable	2606220
Temperature probe, rectal/oral, adult, 3 m, reusable	2606221

IBP	
IBP pressure transducer interface cable, BD	2606224
IBP pressure transducer kit, BD, disposable, 5 kits	2606225

CO_2	
$etCO_2$ module with disp. adult airway adapter	2606226
CO_2 airway adapter, adult, disposable, 10 pieces	2606227
CO_2 airway adapter, neonatal (infant/pediatric), disposable, 10 pieces	2606228

Device Accessories	
Vista 120 rechargeable lithium-ion battery	2606229
Vista 120 printing paper	2606231

Mounting Options	
Vista 120 mounting adapter	2606233
GCX 12” mounting arm for Fabius *plus*	MM15278
Monitor mounting Savina 300	8418819
Monitor mounting Savina	8415733

CORPORATE HEADQUARTERS
Drägerwerk AG & Co. KGaA
Moislinger Allee 53–55
23558 Lübeck, Germany

www.draeger.com

Market availability
Vista 120 monitors are available in selected markets only.
For availability in your area, please contact the appropriate Dräger office from those listed below.

REGION EUROPE CENTRAL AND EUROPE NORTH
Dräger Medical GmbH
Moislinger Allee 53–55
23558 Lübeck, Germany
Tel +49 451 882 0
Fax +49 451 882 2080
info@draeger.com

REGION EUROPE SOUTH
Dräger Médical S.A.S.
Parc de Haute Technologie d'Antony 2
25, rue Georges Besse
92182 Antony Cedex, France
Tel +33 1 46 11 56 00
Fax +33 1 40 96 97 20
dlmfr-contact@draeger.com

REGION MIDDLE EAST, AFRICA, CENTRAL AND SOUTH AMERICA
Dräger Medical GmbH
Branch Office
P.O. Box 505108
Dubai, United Arab Emirates
Tel +971 4 4294 600
Fax +971 4 4294 699
contactuae@draeger.com

REGION ASIA / PACIFIC
Draeger Medical South East Asia Pte Ltd
25 International Business Park
#04-27/29 German Centre
Singapore 609916, Singapore
Tel +65 6572 4388
Fax +65 6572 4399
asia.pacific@draeger.com

Manufacturer:
Draeger Medical GmbH
23542 Lübeck, Germany
The quality management system at Draeger Medical GmbH is certified according to ISO 13485, ISO 9001 and Annex II.3 of Directive 93/42/EEC (Medical devices).

90 66 861 | 0512-1 | Marketing Communications | SL | Neo | Printed in the United States | Chlorine-free – environmentally compatible | Subject to modifications | © 2012 Drägerwerk AG & Co. KGaA